AMENDMENTS TO THE CLAIMS

Listing of the Claims:

- 1. (Currently Amended) A process for preparing a tobacco preparation process having reduced contents of nicotine and tar, wherein dried playcodi platycodi radix (broad bellflower), ginseng radix (*Panax ginseng*) and peach kernel (persicae semen) are crushed and applied to into tobacco leaves are crushed and cut into a specified piece.
- 2. (Currently Amended) A The process according to claim 1, wherein dried playhoodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen) are crushed, are mixed with cut eum-yang-kwak (dried leaves of epimedii herbal tea (Epimedium koreanum)) are cut into the same size as that of the cut tobacco leaves and mixture of playcodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen), eum-yang-kwak (dried leaves of epimedii herbal tea (Epimedium koreanum)) in the same proportion equal proportions before being applied to the tobacco leaves.
- 3. (Currently Amended) A The process according to claim 1, wherein the mixture proportion of dried playhcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen) into to tobacco leaves is at the a ratio of 3:3:3:991.
- 4. (Currently Amended) A The process according to claim 1, wherein playcodi the platycodi radix (broard broad bellflower) harvested are 2 ~ 3 years old.

- 5. (Currently Amended) A The process according to claim 1, wherein the ginseng radix (Panax ginseng) harvested is 1 year old.
- 6. (Currently Amended) A The process according to claim 1, wherein the peach kernel (persicae semen) is harvested in June ~ August.
- 7. (Currently Amended) A The process according to claim 1, wherein the mixture of dried playcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen) into tobacco leaves are at the a ratio of 3:3:3 ~ 5:989 ~ 991.
- 8. (Currently Amended) A The process according to claim 1, wherein glycerin is sprayed slightly on the crushed dried playcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen) and eum-yang-kwak (dried leaves of epimedii herbal tea (*Epimedium koreanum*)).
- 9. (Currently Amended) A The process according to claim 1, wherein dried playcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen) are crushed to a size, which would not enable them to size does not infiltrate through a cigarette filter.
- 10. (Currently Amended) A The process according to claim 1, wherein dried playcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (perisicae semen) are crushed to a size of 100 ~ 130 meshes between 100 to 130 mesh.

- 11. (Currently Amended) A The process according to claim 1, wherein playcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen) and eum-yang-kwak (dried leaves of epimedii herbal tea (Epimedium koreanum)) are dried in the shade.
- 12. (Currently Amended) A The process according to claim 2, wherein playcodi the amount of platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen) are added is ±0.1%, and tobacco leaves and eum-yang-kwak (dried leaves of epimedii herbal tea (*Epimedium koreanum*)) which were cut into a specified size are mixed at the a ratio of 6:4.
- (Currently Amended) A The process according to claim 11, wherein playcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen)and eum-yang-kwak (dried leaves of epimedii herbal tea (*Epimedium koreanum*)) are dried to the have a water content of as follows: playcodi radix (broad bellflower) is $6 \sim 10\%$, ginseng radix (Panax ginseng) 10-14%, peach kernel (persicae semen) $6 \sim 10\%$ and eum-yang-kwak (dried leaves of epimedii herbal tea (*Epimedium koreanum*)) $3 \sim 7\%$.
- 14. (Previously Added) A The process according to claim 2, wherein dried playcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen) are crushed to a size, which would not enable them to size does not infiltrate through a cigarette filter.

- 15. (Previously Added) A The process according to claim 2, wherein dried playcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (perisicae semen) are crushed to a size of 100-130 meshes between 100 to 130 mesh.
- 16. (Previously Added) A The process according to claim 2, wherein playcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen) and eum-yang-kwak (dried leaves of epimedii herbal tea (*Epimedium koreanum*)) are dried in the shade.
- 17. (Currently Amended) A The process according to claim 16, wherein playcodi platycodi radix (broad bellflower), ginseng radix (Panax ginseng) and peach kernel (persicae semen) and eum-yang-kwak (dried leaves of epimedii herbal tea (*Epimedium koreanum*)) are dried to the have a water content of as follows: playcodi radix (broad bellflower) is 6-10%, ginseng radix (Panax ginseng) 10-14%, peach kernel (persicae semen) 6-10% and eum-yang-kwak (dried leaves of epimedii herbal tea (*Epimedium koreanum*)) 3-7%.